



2013 COMMUNITY PROFILE FOR DELAWARE: DATA BY SUB-STATE PLANNING AREA August 2013

**DESCRIPTION: Sub-state/Community Level
Epidemiologic Profile for Substance Abuse Consumption
and Consequences Data on Youth and Adults for Delaware**

Prepared by:

*The University of Delaware Center for Drug and Alcohol Studies
&
State Partners*

For

**The Delaware SPF-SIG Program,
The Delaware Division of Substance Abuse and Mental Health,
&
The Delaware Drug and Alcohol Tracking Alliance**

Sponsored by Award SP015607 to the Division of Substance Abuse and Mental Health, Delaware Health and Social Services, from the Center for Substance Abuse Prevention, Substance Abuse and Mental Health Services Administration

TABLE OF CONTENTS

1. Introduction	3
1.1 Purpose of the 2013 Sub-state Epidemiological Profile	3
2. Delaware Youth Survey by Sub-State Area	7
2.1 Self-Reported Behavior	8
2.2 Perceptions of Family	28
2.3 Perceptions of School	40
2.4 Perceptions of Neighborhood	47
3. Delaware Adult Survey Data by Sub-state Planning Area and Office of Highway Safety Data	49
4. Department of Education (DOE) and Department of Services for Children, Youth, and Their Families (DSCYF) Data	73
5. Wilmington Specific Data	77
6. Full Online Sources for Data in this Profile and Additional Data Resources	86

1. INTRODUCTION

1.1 Purpose of 2013 Delaware Sub-state Epidemiological Profile

The Division of Substance Abuse and Mental Health (DSAMH), the Single State Agency (SSA) for mental health/substance use conditions in Delaware is pleased to present this report from the Statewide Epidemiological Outcomes Workgroup (SEOW). This annual Profile brings together the most recent available information related to Delaware youth, families, and adults that is relevant to understanding, planning and intervening with Delawareans at risk for substance abuse, violence, and other risk factors. More importantly, it presents data, where possible, that are available for smaller areas than the state as a whole -- by county or “sub-state planning area” or even by community. Federal regulations have required and Delaware has established four sub-state planning areas for the state. These are:

1. The City of Wilmington;
2. The remainder of New Castle County;
3. Kent County; and
4. Sussex County

Reporting of incidence, prevalence and outcome measures for each of these sub-state planning areas and surveillance of change will become an increasing requirement of federal and state programming in the future.

This report focuses on data that can be provided by sub-state areas. More extensive data for substance abuse indicators for the state as a whole are available in the annual series of State Epidemiological Profiles that are also available at the DDATA website. Because of Delaware’s small size, many indicators are not reliable at a sub-state or community level and can only be reported at the state level. The 2013 Sub-state Profile has two main purposes:

First, the Profile continues the series of data reports begun in 2008, as part of Delaware’s mandate from the Federal Substance Abuse Mental Health Services Administration (SAMHSA), to assemble, analyze and report on the best available data for state and sub-state surveillance of substance use/abuse incidence, prevalence, and related data for Delaware. Staff of the Delaware SEOW, the Delaware Drug and Alcohol Tracking Alliance (DDATA), are charged with producing and updating this resource. The Workgroup’s responsibilities include collecting and improving upon the sources available for National Outcomes Measures (NOMS) that will meet SAMHSA and other federal reporting requirements. In addition, the Workgroup collects, collates, makes accessible and distributes alcohol, tobacco, and other drug (ATOD) data within the state for use by other Federal agencies (e.g., Office of National Drug Control Policy), other State agencies (e.g., Division of Public Health, Division of Prevention and Behavioral Health

Services, Department of Education), Foundations (e.g., Nemours, the Casey Foundation, the Robert Wood Johnson Foundation), and for informing communities and organizations statewide.

Second, the Profile is meant to serve as a reference point for establishing the need for and subsequent changes in prevention or intervention programming in Delaware sub-state planning areas. Data will also be useful to communities directly applying for awards such as the federal Safe and Drug Free Communities Support Program (DFC), the Division of Public Health Tobacco Prevention and Control Programs, and other initiatives that may be issued by federal, state and foundation sources.

The first section of this Profile consists of information from Delaware youth surveys by sub-state planning area and in some cases by smaller community breakdowns (Section 2 of the Profile). These data are the most rich and most timely (mostly 2012) because they include large samples and much of it comes from Delaware sources. The next section of the Profile consists of data that are available for adults (Section 3). Here the data sources, sizes of the samples, and recency of the data are more limited. Much of it comes from national sources such as the National Household Survey of Drug Use and Health (NSDUH) and the Behavioral Risk Factor Surveillance System (BRFSS). Section 4 of the Profile provides youth institutional data from the Department of Education and the Division of Prevention and Behavioral Health Services. Section 5 provides some additional data specific to Wilmington. Finally, Section 6 of the Profile provides leads and locations of additional data from the sources used here as well as other data sources that may be helpful in addressing issues of need and evidenced-based program compatibility.




Table 2:

Population

Population Census Counts for Delaware and Counties, 2010

Area/Sex/Race	0-4	5-9	10-14	15-19	20-64	65+	Total	% 0-19	% 20-64	% 65+	% Total
Delaware	58,675	57,637	54,994	59,518	532,479	131,870	895,173	25.8	59.5	14.7	100.0
Male	29,288	28,778	28,063	30,563	260,909	56,853	434,454	13.0	29.1	6.4	48.5
White	20,476	20,275	18,727	20,486	193,161	48,859	321,984	8.9	21.6	5.5	36.0
Black	7,740	7,353	7,554	8,415	55,119	6,760	92,941	3.5	6.2	0.7	10.4
Female	29,387	28,859	26,931	28,955	271,570	75,017	460,719	12.8	30.3	8.4	51.5
White	20,522	20,313	17,827	19,597	197,897	63,592	339,748	8.7	22.1	7.1	37.9
Black	7,793	7,403	7,433	7,921	61,743	9,909	102,202	3.4	6.9	7.5	17.8
New Castle	35,919	35,971	34,001	37,223	326,571	68,485	538,170	16.0	36.5	7.7	60.2
Male	17,906	17,926	17,393	19,043	160,080	28,821	261,169	8.1	17.9	7.7	33.7
White	12,164	12,342	11,177	12,264	114,060	23,668	185,675	5.4	12.7	2.6	20.7
Black	5,023	4,814	4,949	5,589	36,683	4,223	61,281	2.3	4.1	0.5	6.9
Female	18,013	18,045	16,608	18,180	166,491	39,664	277,001	7.9	18.6	4.4	30.9
White	12,218	12,404	10,546	11,799	116,418	32,251	195,636	5.3	13.0	3.6	21.9
Black	5,076	4,873	4,877	5,356	41,276	6,401	67,859	2.3	4.6	0.7	7.6
Kent	11,563	10,981	10,828	11,494	94,898	20,294	160,058	5.0	10.6	2.3	17.9
Male	5,776	5,480	5,459	5,926	45,845	8,635	77,121	2.5	5.1	1.0	8.6
White	4,053	3,828	3,701	4,035	33,346	6,903	55,866	1.8	3.7	0.8	6.3
Black	1,524	1,448	1,483	1,672	10,643	1,527	18,297	0.7	1.2	0.2	2.1
Female	5,787	5,501	5,369	5,568	49,053	11,659	82,937	2.5	5.5	1.3	9.3
White	4,053	3,831	3,566	3,850	34,588	9,312	59,200	1.7	3.9	1.0	6.6
Black	1,535	1,465	1,550	1,480	12,359	1,957	20,346	0.7	1.4	0.2	2.3
Sussex	11,193	10,685	10,165	10,801	111,010	43,091	196,945	4.8	12.4	4.7	21.9
Male	5,606	5,372	5,211	5,594	54,984	19,397	96,164	2.4	6.1	2.2	10.7
White	4,259	4,105	3,849	4,187	45,755	18,288	80,443	1.8	5.1	2.0	8.9
Black	1,193	1,091	1,122	1,154	7,793	1,010	13,363	0.5	0.9	0.2	1.6
Female	5,587	5,313	4,954	5,207	56,026	23,694	100,781	2.4	6.3	2.6	11.3
White	4,251	4,078	3,715	3,948	46,891	22,029	84,912	1.8	5.2	2.5	9.5
Black	1,182	1,065	1,006	1,085	8,108	1,551	13,997	0.5	0.9	0.2	1.6

Totals by area and gender include races other than White and Black
 Percentages are calculated based on total state population
 Source: Delaware Population Consortium, Population Projection Series, Version 2010.0



2.

DELAWARE YOUTH SURVEY DATA BY SUB-STATE AREA


The following section includes data from the Delaware School Survey that has been reported by sub-state planning area. The information is broken down into four categories of “individual” attitudes and behaviors, “family” data, “school” data, and “neighborhood” data. Please note that since Zip Code and City identifying information are not available for 5th Grade data, there are no separate tables or charts for Wilmington 5th graders. Wilmington-specific information is provided for 8th and 11th graders. More information on these surveys is available in Section 6 of this Profile.

DELAWARE YOUTH SURVEY DATA BY SUB-STATE AREA

2.1 Self-Reported Behavior


The following section includes data from the Delaware School Surveys that relate to youth self-reports of their own behaviors and attitudes related to substance use, violence, and other risk and protective factors. The first pages relate to substance use and are broken down by Zip Code and mapped. The following charts are by sub-state planning area. Again, please note that Zip Code and City identifying information are not available for 5th Grade data, so there are no separate tables or charts for Wilmington 5th graders. Wilmington-specific information is provided for 8th and 11th graders.

Past Year Cigarette Use Among Delaware 8th and 11th Graders by Zip Code, 2012




Source: 2012 Delaware School Survey, University of Delaware Center for Drug and Alcohol Studies

Past Year Alcohol Use Among Delaware 8th and 11th Graders by Zip Code, 2012




Source: 2012 Delaware School Survey, University of Delaware Center for Drug and Alcohol Studies

Past Year Binge Drinking Among Delaware 8th and 11th Graders by Zip Code, 2012




Source: 2012 Delaware School Survey, University of Delaware Center for Drug and Alcohol Studies

Past Year Marijuana Use Among Delaware 8th and 11th Graders by Zip Code, 2012




Source: 2012 Delaware School Survey, University of Delaware Center for Drug and Alcohol Studies

Past Year Prescription Drug Use Among Delaware 8th and 11th Graders by Zip Code, 2012



Source: 2012 Delaware School Survey, University of Delaware Center for Drug and Alcohol Studies


Past Year Gang Membership Among Delaware 8th and 11th Graders by Zip Code, 2012




Source: 2012 Delaware School Survey, University of Delaware Center for Drug and Alcohol Studies

Reported Substance Use by Delaware Public School Students, 2012


2012 5th Graders' Reports of Past Month Substance Use



2012 8th Graders' Reports of Past Month Substance Use




2012 11th Graders' Reports of Past Month Substance Use




Source: 2012 Delaware School Survey, University of Delaware Center for Drug and Alcohol Studies

**Reported Binge Drinking and Heavy Substance Use by Delaware Public School Students,
2012**

**2012 8th Graders' Reports of Binge Drinking and Heavy
Substance Use**



**2012 11th Graders' Reports of Binge Drinking and Heavy
Substance Use**




Source: 2012 Delaware School Survey, University of Delaware Center for Drug and Alcohol Studies


Note: Binge use is defined as three drinks at a time in the last two weeks.

Heavy Use indicates more than six times in the past month.

8th GRADERS PAST 30 DAYS DRINKING COMPANIONS




11th GRADERS PAST 30 DAYS DRINKING COMPANIONS




Source: 2012 Delaware School Survey, University of Delaware Center for Drug and Alcohol Studies

8th GRADERS PAST 30 DAYS MARIJUANA SMOKING COMPANIONS




Source: 2012 Delaware School Survey

11th GRADERS PAST 30 DAYS MARIJUANA SMOKING COMPANIONS




Source: 2012 Delaware School Survey

8th GRADERS DRINKING LOCATIONS IN THE PAST 30 DAYS




Source: 2008 Delaware School Survey

8th GRADERS MARIJUANA SMOKING LOCATIONS IN THE PAST 30 DAYS




Source: 2008 Delaware School Survey

11th GRADERS DRINKING LOCATIONS IN THE PAST 30 DAYS



Source: 2008 Delaware School Survey


11th GRADERS MARIJUANA SMOKING LOCATIONS IN THE PAST 30 DAYS



Source: 2008 Delaware School Survey


Reported Perceptions of Risk in Substance Use by Delaware Public School Students, 2012

2012 5th Graders Perceptions of "A Lot of Risk" in Substance Use




Source: 2012 Delaware School Survey, University of Delaware Center for Drug and Alcohol Studies

2012 8th Graders' Perceptions of "Moderate" or "Great Risk" in Substance Use



Source: 2012 Delaware School Survey, University of Delaware Center for Drug and Alcohol Studies


2012 11th Graders' Perceptions of "Moderate" or "Great Risk" in Substance Use



Source: 2012 Delaware School Survey, University of Delaware Center for Drug and Alcohol Studies

Reported Self-Disapproval of Substance Use by Delaware Public School Students, 2012

2012 8th Graders' Reports of Self-Disapproval of Substance Use (percentage responding "wrong" or "very wrong")




*1-2 drinks of alcohol daily

**Regular Use

Source: 2012 Delaware School Survey, University of Delaware Center for Drug and Alcohol Studies

2012 11th Graders' Reports of Self-Disapproval of Substance Use (percentage responding "wrong" or "very wrong")




*1-2 drinks of alcohol daily

**Regular Use


Source: 2012 Delaware School Survey, University of Delaware Center for Drug and Alcohol Studies

Reported Group Fight Participation by Delaware Public School Students, 2012

2012 8th Graders' Reports of Past Year Participation in a Group Fight




2012 11th Graders' Reports of Past Year Participation in a Group Fight




Source: 2012 Delaware School Survey, University of Delaware Center for Drug and Alcohol Studies

Reported Acts of Violence by Delaware Public School Students, 2012

2012 8th Graders' Reporting Past Year Acts of Violence




2012 11th Graders' Reporting Past Year Acts of Violence




Source: 2012 Delaware School Survey, University of Delaware Center for Drug and Alcohol Studies

Reported Student Behavior by Delaware Public School Students, 2012

2012 8th Graders' Reports of Past Year Student Behavior




2012 11th Graders' Reports of Past Year Student Behavior




Source: 2012 Delaware School Survey, University of Delaware Center for Drug and Alcohol Studies

Reports of Selling Drugs among Delaware Public School Students, 2012

2012 8th Graders' Reports of Selling Drugs During the Past Year



2012 11th Graders' Reports of Selling Drugs During the Past Year



Source: 2012 Delaware School Survey, University of Delaware Center for Drug and Alcohol Studies


DELAWARE YOUTH SURVEY DATA BY SUB-STATE AREA

2.2 Perceptions of Family


The following section includes data from the Delaware School Surveys that relate to youth self-reports of their family composition and of attitudes and behaviors related to their families and perceived attitudes of their parents. The following charts are by sub-state planning area. Again, please note that Zip Code and City identifying information are not available for 5th Grade data, so there are no separate tables or charts for Wilmington 5th graders. Wilmington-specific information is provided for 8th and 11th graders.

Reported Family Structure by Delaware Public School Students, 2012


2012 5th Graders' Reports of Family Structure



2012 8th Graders' Reports of Family Structure




2012 11th Graders' Reports of Family Structure




Source: 2012 Delaware School Survey, University of Delaware Center for Drug and Alcohol Studies

Reported Violence and Threats from Parents by Delaware Public School Students, 2012

2012 5th Graders' Reports of Violence and Threats from Parents*




2012 8th Graders' Reports of Violence and Threats from Parents*



*Past 30 Days

Source: 2012 Delaware School Survey, University of Delaware Center for Drug and Alcohol Studies

2012 11th Graders' Reports of Violence and Threats from Parents*




*Past 30 Days


Source: 2012 Delaware School Survey, University of Delaware Center for Drug and Alcohol Studies

Reported Parental Smoking by Delaware Public School Students, 2012


2012 5th Graders' Reports of Parents Who Smoke



2012 8th Graders' Reports of Parents Who Smoke




2012 11th Graders' Reports of Parents Who Smoke




Source: 2012 Delaware School Survey, University of Delaware Center for Drug and Alcohol Studies

Reported Parental Perceptions of Tobacco Use by Delaware Public School Students, 2011

2011 8th Graders' Reporting Whether Parents Think Tobacco Use is Wrong or Very Wrong




2011 11th Graders' Reporting Whether Parents Think Tobacco Use is Wrong or Very Wrong




Source: 2011 Delaware School Survey, University of Delaware Center for Drug and Alcohol Studies
 Note: Updated data for these variables are not available from the 2012 Delaware School Survey.

Reported Parental Perceptions of Alcohol Use by Delaware Public School Students, 2011

2011 8th Graders' Reporting Whether Parents Think Alcohol Use is Wrong or Very Wrong




2011 11th Graders' Reporting Whether Parents Think Alcohol Use is Wrong or Very Wrong




Source: 2011 Delaware School Survey, University of Delaware Center for Drug and Alcohol Studies
 Note: Updated data for this variable is not available from the 2012 Delaware School Survey.

Reported Parental Perceptions of Marijuana Use by Delaware Public School Students, 2011

2011 8th Graders' Reporting Whether Parents Think Marijuana Use is Wrong or Very Wrong




2011 11th Graders' Reporting Whether Parents Think Marijuana Use is Wrong or Very Wrong




Source: 2011 Delaware School Survey, University of Delaware Center for Drug and Alcohol Studies
 Note: Updated data for this variable is not available from the 2012 Delaware School Survey.

Reports of Talking to Parents about the Risk of Drugs by Delaware Public School Students, 2012


2012 5th Graders' Reports of Parents Talking with Students About the Risk of Drugs



2012 8th Graders' Reports of Talking with Students about the Risks of Drugs and Alcohol




2012 11th Graders' Reports of Talking with Students about the Risks of Drugs and Alcohol




Source: 2012 Delaware School Survey, University of Delaware Center for Drug and Alcohol Studies

Reported Getting Along with Parents by Delaware Public School Students, 2012


2012 5th Graders' Reports of Getting Along With Parents



2012 8th Graders' Reports of How Often They Get Along With Parents




2012 11th Graders' Reports of How Often They Get Along With Parents




Source: 2012 Delaware School Survey, University of Delaware Center for Drug and Alcohol Studies

Reported Certainty of Punishment by Delaware Public School Students, 2012


2012 5th Graders Who Agree/Strongly Agree with the Statement, "Your Parents Rules For You Are Strictly Enforced"



2012 8th Graders Who Agree/Strongly Agree with the Statement, "Your Parents Rules For You Are Strictly Enforced"




2012 11th Graders Who Agree/Strongly Agree with the Statement, "Your Parents Rules For You Are Strictly Enforced"




Source: 2012 Delaware School Survey, University of Delaware Center for Drug and Alcohol Studies

Reports of Parents Knowing Where Students Are When Not in School by Delaware Public School Students, 2012


2012 5th Graders Reports of Parents Knowing Where They Are When Not in School



2012 8th Graders Reports of Parents Knowing Where They Are When Not in School



2012 11th Graders Reports of Parents Knowing Where They Are When Not in School



Source: 2012 Delaware School Survey, University of Delaware Center for Drug and Alcohol Studies


DELAWARE YOUTH SURVEY DATA BY SUB-STATE AREA

2.3 Perceptions of School


The following section includes data from the Delaware School Surveys that relate to youth self-reports of their attitudes and behaviors related to their school and to other kids at school. Information on perceived verbal abuse and violence as well as attitude about school rules and norms are provided. The following charts are by sub-state planning area. Again, please note that Zip Code and City identifying information are not available for 5th Grade data, so there are no separate tables or charts for Wilmington 5th graders. Wilmington-specific information is provided for 8th and 11th graders.

Reported Violence and Threats among Peers by Delaware Public School Students, 2012


2012 5th Graders Reports of Violence and Threats from Kids at School



2012 8th Graders Reports of Violence and Threats from Kids at School




2012 11th Graders Reports of Violence and Threats from Kids at School




Source: 2012 Delaware School Survey, University of Delaware Center for Drug and Alcohol Studies

Reported School Violence by Delaware Public School Students, 2012


2012 5th Graders' Reports of School Violence



2012 8th Graders' Reports of School Violence




2012 11th Graders' Reports of School Violence




Source: 2012 Delaware School Survey, University of Delaware Center for Drug and Alcohol Studies

Reported Perceptions of School Safety by Delaware Public School Students, 2012


2012 5th Graders' Perceptions of School Safety



2012 8th Graders' Perceptions of School Safety




2012 11th Graders' Perceptions of School Safety




Source: 2012 Delaware School Survey, University of Delaware Center for Drug and Alcohol Studies

Reported Knowing Where to Buy Drugs by Delaware Public School Students, 2012

2012 8th Graders' Reports of Knowing Where Students Can Buy Drugs




2012 11th Graders' Reports of Knowing Where Students Can Buy Drugs




Source: 2012 Delaware School Survey, University of Delaware Center for Drug and Alcohol Studies

Reported Certainty of School Punishment by Delaware Public School Students, 2012


2012 5th Graders Who Agree/Strongly Agree with the Statement, "School Rules are Strictly Enforced"



2012 8th Graders Who Agree/Strongly Agree with the Statement, "School Rules are Strictly Enforced"




2012 11th Graders Who Agree/Strongly Agree with the Statement, "School Rules are Strictly Enforced"




Source: 2012 Delaware School Survey, University of Delaware Center for Drug and Alcohol Studies

Reported Perception of School Rules by Delaware Public School Students, 2011*


2011 5th Graders Who Strongly Agree/Agree that the School Rules are Fair



2011 8th Graders Who Strongly Agree/Agree that the School Rules are Fair



2011 11th Graders Who Strongly Agree/Agree that the School Rules are Fair



Source: 2011 Delaware School Survey, University of Delaware Center for Drug and Alcohol Studies

*Updated data are not available in the 2012 Delaware School Survey data.


DELAWARE YOUTH SURVEY DATA BY SUB-STATE AREA

2.4 Perceptions of Neighborhood


The following section includes data from the Delaware School Surveys that relate to youth self-reports of their attitudes and behaviors related to their neighborhood and to other kids in their neighborhood. Information on perceived verbal abuse and violence are provided. The following charts are by sub-state planning area. Again, please note that Zip Code and City identifying information are not available for 5th Grade data, so there are no separate tables or charts for Wilmington 5th graders. Wilmington-specific information is provided for 8th and 11th graders.

Reported Violence from Kids in Neighborhood by Delaware Public School Students, 2012

2012 8th Graders' Reports of Violence and Threats From Kids in the Neighborhood



2012 11th Graders' Reports of Violence and Threats From Kids in the Neighborhood



Source: 2012 Delaware School Survey, University of Delaware Center for Drug and Alcohol Studies


3. DELAWARE ADULT SURVEY DATA BY SUB-STATE PLANNING AREA AND OFFICE OF HIGHWAY SAFETY DATA

The following section includes tables and charts from the National Household Survey on Drug Use and Health and one page of tables from the Behavioral Risk Factor Surveillance System for Delaware. Each of these sources reports mostly on adults and provides limited data broken down by Sub-state Planning Area for Delaware. Additional information from these sources including all data available by sub-state planning area and all data available statewide are available online (see resources listed in Section 6 of this Profile).

Prevalence Estimates for Sub-state Regions from the 2008-2010 National Survey of Drug Use and Health

Persons Aged 12 or Older in Delaware, by Sub-state Region: Percentages, Annual Averages Based on 2008, 2009, and 2010 NSDUHs	Estimate	95% Prediction Interval
Past Month Illicit Drug Use		
U.S.	8.61 ^a	8.39-8.83
Northeast U.S.	9.24 ^b	8.82-9.67
South U.S.	7.58	7.30-7.87
Delaware	8.46	7.31-9.78
Kent County	8.38	6.42-10.87
New Castle County (Excluding Wilmington)	8.37	6.96-10.03
Sussex County	7.14	5.44-9.32
Wilmington	12.51	9.43-16.41


- a. 2006-2008=8.15, P Value=.000
 b. 2006-2008=8.54, P value=.001



Source: National Survey on Drug Use and Health: Comparison of the 2006-2008 and 2008-2010 Model-Based Sub-state Estimates, Table 1,
<http://www.samhsa.gov/data/NSDUH/substate2k10/ChangeTables/NSDUHsubstateChangeTabs2010.htm>

Persons Aged 12 or Older in Delaware, by Sub-state Region: Percentages, Annual Averages Based on 2008, 2009, and 2010 NSDUHs	Estimate	95% Prediction Interval
Past Month Illicit Drug Use Other than Marijuana		
U.S.	3.56 ^a	3.42-3.70
Northeast U.S.	3.61	3.34-3.89
South U.S.	3.44 ^b	3.25-3.65
Delaware	3.83	3.00-4.88
Kent County	3.81	2.55-5.67
New Castle County (Excluding Wilmington)	3.95	2.88-5.38
Sussex County	3.24	2.13-4.90
Wilmington	4.71	2.90-7.57


- a. 2006-2008=3.72, P value=.044
- b. 2006-2008=3.71, P value=.009



Source: National Survey on Drug Use and Health: Comparison of the 2006-2008 and 2008-2010 Model-Based Sub-state Estimates, Table 5, <http://www.samhsa.gov/data/NSDUH/substate2k10/ChangeTables/NSDUHsubstateChangeTabs2010.htm>

Persons Aged 12 or Older in Delaware, by Sub-state Region: Percentages, Annual Averages Based on 2008, 2009, and 2010 NSDUHs	Estimate	95% Prediction Interval
Past Month Marijuana Drug Use		
U.S.	6.58 ^a	6.4-6.77
Northeast U.S.	7.30 ^b	6.95-7.66
South U.S.	5.55 ^c	5.30-5.80
Delaware	6.87	5.84-8.06
Kent County	6.83 ^d	5.10-9.10
New Castle County (Excluding Wilmington)	6.77	5.57-8.21
Sussex County	5.84	4.33-7.83
Wilmington	10.10	7.56-13.36


- a. 2006-2008=6.01, P value=.000
- b. 2006-2008=6.58, P value=.000
- c. 2006-2008=5.20, P value=.005
- d. 2006-2008=5.42, P value=.031



Source: National Survey on Drug Use and Health: Comparison of the 2006-2008 and 2008-2010 Model-Based Sub-state Estimates, Table 3,
<http://www.samhsa.gov/data/NSDUH/substate2k10/ChangeTables/NSDUHsubstateChangeTabs2010.htm>

Persons Aged 12 or Older in Delaware, by Sub-state Region: Percentages, Annual Averages Based on 2008, 2009, and 2010 NSDUHs	Estimate	95% Prediction Interval
Past Year Cocaine Use		
U.S.	1.94 ^a	1.84-2.03
Northeast U.S.	2.31	2.10-2.53
South U.S	1.72 ^b	1.59-1.87
Delaware	2.09	1.55-2.81
Kent County	2.11	1.37-3.23
New Castle County (Excluding Wilmington)	2.17	1.53-3.08
Sussex County	1.84	1.18-2.86
Wilmington	2.16 ^c	1.27-3.66

- a. 2006-2008=2.33, P value=.000
- b. 2006-2008=2.22, P value=.000
- c. 2006-2008=3.10, P value=.053




Source: National Survey on Drug Use and Health: Comparison of the 2006-2008 and 2008-2010 Model-Based Sub-state Estimates, Table 6,
<http://www.samhsa.gov/data/NSDUH/substate2k10/ChangeTables/NSDUHsubstateChangeTabs2010.htm>

Persons Aged 12 or Older in Delaware, by Sub-state Region: Percentages, Annual Averages Based on 2008, 2009, and 2010 NSDUHs	Estimate	95% Prediction Interval
Past Year Nonmedical Use of Pain Relievers		
U.S.	4.87 ^a	4.72-5.02
Northeast U.S.	4.41	4.15-4.70
South U.S.	4.71 ^b	4.50-4.93
Delaware	5.41	4.50-6.49
Kent County	5.87	4.45-7.71
New Castle County (Excluding Wilmington)	5.49	4.38-6.86
Sussex County	4.93	3.69-6.55
Wilmington	5.21	3.74-7.22

a. 2006-2008=5.03, P value=.049

b. 2006-2008=5.03, P value=.005




Source: National Survey on Drug Use and Health: Comparison of the 2006-2008 and 2008-2010 Model-Based Sub-state Estimates, Table 7,

<http://www.samhsa.gov/data/NSDUH/substate2k10/ChangeTables/NSDUHsubstateChangeTabs2010.htm>


Persons Aged 12 or Older in Delaware, by Sub-state Region: Percentages, Annual Averages Based on 2008, 2009, and 2010 NSDUHs	Estimate	95% Prediction Interval
Past Month Alcohol Use		
U.S.	51.65	51.18-52.12
Northeast U.S.	56.68	55.65-57.72
South U.S.	47.59	46.73-48.45
Delaware	56.54	53.61-59.43
Kent County	53.26	47.77-58.67
New Castle County (Excluding Wilmington)	60.03	56.34-63.60
Sussex County	54.52 ^a	49.44-59.51
Wilmington	47.60	41.75-53.51

a. 2006-2008=50.05, P value=.054



Source: National Survey on Drug Use and Health: Comparison of the 2006-2008 and 2008-2010 Model-Based Sub-state Estimates, Table 8, <http://www.samhsa.gov/data/NSDUH/substate2k10/ChangeTables/NSDUHsubstateChangeTabs2010.htm>


Persons Aged 12 or Older in Delaware, by Sub-state Region: Percentages, Annual Averages Based on 2008, 2009, and 2010 NSDUHs	Estimate	95% Prediction Interval
Past Month Binge Alcohol Use		
U.S.	23.37	23.03-23.72
Northeast U.S.	24.80	24.10-25.51
South U.S.	21.70	21.20-22.21
Delaware	24.61	22.38-26.99
Kent County	24.85	21.06-29.09
New Castle County (Excluding Wilmington)	25.18	22.32-28.27
Sussex County	23.93	20.16-28.16
Wilmington	22.50	18.47-27.12



Source: National Survey on Drug Use and Health: Comparison of the 2006-2008 and 2008-2010 Model-Based Sub-state Estimates, Table 9, <http://www.samhsa.gov/data/NSDUH/substate2k10/ChangeTables/NSDUHsubstateChangeTabs2010.htm>

Persons Aged 12 or Older in Delaware, by Sub-state Region: Percentages, Annual Averages Based on 2008, 2009, and 2010 NSDUHs	Estimate	95% Prediction Interval
Past Month Alcohol Use, Persons Aged 12-20		
U.S.	26.54 ^a	26.04-27.04
Northeast U.S.	30.38	29.58-31.19
South U.S.	24.97	24.44-25.51
Delaware	31.17	28.77-33.67
Kent County	31.01	27.19-35.10
New Castle County (Excluding Wilmington)	32.88	29.84-36.07
Sussex County	29.14 ^b	25.23-33.38
Wilmington	24.64	20.56-29.23


- a. 2006-2008=27.54, P value=.000
- b. 2006-2008=25.04, P value=.031



Source: National Survey on Drug Use and Health: Comparison of the 2006-2008 and 2008-2010 Model-Based Sub-state Estimates, Table 11, <http://www.samhsa.gov/data/NSDUH/substate2k10/ChangeTables/NSDUHsubstateChangeTabs2010.htm>

Persons Aged 12 or Older in Delaware, by Sub-state Region: Percentages, Annual Averages Based on 2008, 2009, and 2010 NSDUHs	Estimate	95% Prediction Interval
Past Month Binge Alcohol Use, Persons Aged 12-20		
U.S.	17.47 ^a	17.04-17.91
Northeast U.S.	19.98 ^b	19.23-20.75
South U.S.	15.80 ^c	15.29-16.32
Delaware	21.33	19.22-23.60
Kent County	20.26	16.97-24.01
New Castle County (Excluding Wilmington)	23.28	20.44-26.38
Sussex County	19.06	15.78-22.84
Wilmington	15.86 ^d	12.51-19.92


- a. 2006-2008=18.34, P value=.000
- b. 2006-2008=20.94, P value=.025
- c. 2006-2008=16.40, P value=.037
- d. 2006-2008=12.67, P value=.055



Source: National Survey on Drug Use and Health: Comparison of the 2006-2008 and 2008-2010 Model-Based Sub-state Estimates, Table 12, <http://www.samhsa.gov/data/NSDUH/substate2k10/ChangeTables/NSDUHsubstateChangeTabs2010.htm>


Persons Aged 12 or Older in Delaware, by Sub-state Region: Percentages, Annual Averages Based on 2008, 2009, and 2010 NSDUHs	Estimate	95% Prediction Interval
Past Month Cigarette Use		
U.S.	23.46 ^a	23.08-23.85
Northeast U.S.	22.26	21.56-22.99
South	24.58 ^b	23.96-25.21
Delaware	24.87	22.74-27.13
Kent County	27.21	23.54-31.22
New Castle County (Excluding Wilmington)	22.70	20.12-25.50
Sussex County	26.93	23.34-30.85
Wilmington	27.78	23.86-32.06

- a. 2006-2008=24.60, P value=.000
- b. 2006-2008=26.03, P value=.000




Source: National Survey on Drug Use and Health: Comparison of the 2006-2008 and 2008-2010 Model-Based Sub-state Estimates, Table 14,
<http://www.samhsa.gov/data/NSDUH/substate2k10/ChangeTables/NSDUHsubstateChangeTabs2010.htm>

Persons Aged 12 or Older in Delaware, by Sub-state Region: Percentages, Annual Averages Based on 2008, 2009, and 2010 NSDUHs	Estimate	95% Prediction Interval
Past Year Alcohol Dependence		
U.S.	3.47	3.33-3.61
Northeast U.S.	3.47	3.21-3.76
South U.S.	3.24	3.04-3.46
Delaware	3.24	2.60-4.02
Kent County	3.04	2.28-4.03
New Castle County (Excluding Wilmington)	3.35	2.57-4.35
Sussex County	2.89	2.12-3.94
Wilmington	3.83	2.76-5.29



Source: National Survey on Drug Use and Health: Comparison of the 2006-2008 and 2008-2010 Model-Based Sub-state Estimates, Table 17, <http://www.samhsa.gov/data/NSDUH/substate2k10/ChangeTables/NSDUHsubstateChangeTabs2010.htm>


Persons Aged 12 or Older in Delaware, by Sub-state Region: Percentages, Annual Averages Based on 2008, 2009, and 2010 NSDUHs	Estimate	95% Prediction Interval
Past Year Illicit Drug Dependence		
U.S.	1.93	1.85-2.02
Northeast U.S.	2.16	1.98-2.35
South U.S.	1.81	1.68-1.94
Delaware	2.02	1.58-2.59
Kent County	2.36	1.64-3.40
New Castle County (Excluding Wilmington)	2.00	1.45-2.73
Sussex County	1.71	1.15-2.54
Wilmington	2.28	1.47-3.51



Source: National Survey on Drug Use and Health: Comparison of the 2006-2008 and 2008-2010 Model-Based Sub-state Estimates, Table 19,
<http://www.samhsa.gov/data/NSDUH/substate2k10/ChangeTables/NSDUHsubstateChangeTabs2010.htm>

Persons Aged 12 or Older in Delaware, by Sub-state Region: Percentages, Annual Averages Based on 2008, 2009, and 2010 NSDUHs	Estimate	95% Prediction Interval
Past Year Alcohol Dependence or Abuse		
U.S.	7.29 ^a	7.10-7.48
Northeast U.S.	7.26	6.89-7.65
South U.S.	6.73	6.68-7.24
Delaware	7.28	6.21-8.52
Kent County	7.20	5.76-8.98
New Castle County (Excluding Wilmington)	7.37	6.08-8.91
Sussex County	6.94	5.45-8.80
Wilmington	7.77	6.03-9.96


a. 2006-2008=7.55, P value=.019



Source: National Survey on Drug Use and Health: Comparison of the 2006-2008 and 2008-2010 Model-Based Sub-state Estimates, Table 16, <http://www.samhsa.gov/data/NSDUH/substate2k10/ChangeTables/NSDUHsubstateChangeTabs2010.htm>

Persons Aged 12 or Older in Delaware, by Sub-state Region: Percentages, Annual Averages Based on 2008, 2009, and 2010 NSDUHs	Estimate	95% Prediction Interval
Past Year Illicit Drug Dependence or Abuse		
U.S.	2.82	2.72-2.93
Northeast U.S.	2.97	2.76-3.19
South U.S.	2.70	2.55-2.87
Delaware	2.69	2.16-3.34
Kent County	3.08	2.21-4.29
New Castle County (Excluding Wilmington)	2.68	2.03-3.53
Sussex County	2.31 ^a	1.60-3.30
Wilmington	2.93	2.00-4.28


a. 2006-2008=3.03, P value=.041



Source: National Survey on Drug Use and Health: Comparison of the 2006-2008 and 2008-2010 Model-Based Sub-state Estimates, Table 18, <http://www.samhsa.gov/data/NSDUH/substate2k10/ChangeTables/NSDUHsubstateChangeTabs2010.htm>

Persons Aged 12 or Older in Delaware, by Sub-state Region: Percentages, Annual Averages Based on 2008, 2009, and 2010 NSDUHs	Estimate	95% Prediction Interval
Needing But Not Receiving Treatment for Alcohol in Past Year		
U.S.	6.90 ^a	6.71-7.09
Northeast U.S.	6.90	6.55-7.27
South U.S.	6.41 ^b	6.13-6.70
Delaware	6.69	5.69-7.86
Kent County	6.77	5.30-8.59
New Castle County (Excluding Wilmington)	6.83	5.61-8.28
Sussex County	6.20	4.80-7.97
Wilmington	7.01	5.41-9.04


- a. 2006-2008=7.18, P value=.010
- b. 2006-2008=6.69, P value=.056



Source: National Survey on Drug Use and Health: Comparison of the 2006-2008 and 2008-2010 Model-Based Sub-state Estimates, Table 22,
<http://www.samhsa.gov/data/NSDUH/substate2k10/ChangeTables/NSDUHsubstateChangeTabs2010.htm>

Persons Aged 12 or Older in Delaware, by Sub-state Region: Percentages, Annual Averages Based on 2008, 2009, and 2010 NSDUHs	Estimate	95% Prediction Interval
Needing But Not Receiving Treatment for Illicit Drug Use in Past Year		
U.S.	2.54	2.44-2.64
Northeast U.S.	2.59	2.41-2.79
South U.S.	2.43	2.29-2.58
Delaware	2.37	1.90-2.94
Kent County	2.87	2.06-3.99
New Castle County (Excluding Wilmington)	2.21	1.68-2.91
Sussex County	2.17 ^a	1.49-3.15
Wilmington	2.75	1.87-4.01

a. 2006-2008=3.05, P value=.017



Source: National Survey on Drug Use and Health: Comparison of the 2006-2008 and 2008-2010 Model-Based Sub-state Estimates, Table 21,
<http://www.samhsa.gov/data/NSDUH/substate2k10/ChangeTables/NSDUHsubstateChangeTabs2010.htm>

Persons Aged 18 or Older in Delaware, by Sub-state Region: Percentages, Annual Averages Based on 2008, 2009, and 2010 NSDUHs	Estimate	95% Prediction Interval
Serious Mental Illness in Past Year		
U.S.	4.75	4.58-4.92
Northeast U.S.	4.61	4.29-4.94
South U.S.	4.67	4.41-4.94
Delaware	4.71	3.86-5.73
Kent County	5.85	4.37-7.79
New Castle County (Excluding Wilmington)	5.85	4.37-7.79
Sussex County	4.54	3.37-6.11
Wilmington	4.74	3.45-6.47

Source: National Survey on Drug Use and Health: Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by State and Sub-state Regions: Percentages, Annual Averages Based on 2008, 2009, and 2010 NSDUHs , Table 24,
<http://www.samhsa.gov/data/NSDUH/substate2k10/ExcelTables/NSDUHsubstateExcelTabsTOC2010.htm>

Persons Aged 18 or Older in Delaware, by Sub-state Region: Percentages, Annual Averages Based on 2008, 2009, and 2010 NSDUHs	Estimate	95% Prediction Interval
Had at Least One Major Depressive Episode in Past Year		
U.S.	6.60	6.39-6.82
Northeast U.S.	6.58	6.19-7.00
South U.S.	6.49	6.19-6.79
Delaware	6.79	5.73-8.03
Kent County	7.69	5.73-9.85
New Castle County (Excluding Wilmington)	7.69	5.98-9.85
Sussex County	6.31	4.88-8.12
Wilmington	6.68	5.08-8.73

Source: National Survey on Drug Use and Health: Comparison of the 2006-2008 and 2008-2010 Model-Based Sub-state Estimates, Table 23,
<http://www.samhsa.gov/data/NSDUH/substate2k10/ChangeTables/NSDUHsubstateChangeTabs2010.htm>

Persons Aged 18 or Older in Delaware, by Sub-state Region: Percentages, Annual Averages Based on 2008, 2009, and 2010 NSDUHs	Estimate	95% Prediction Interval
Had at Serious Thoughts of Suicide in Past Year		
U.S.	3.76	3.61-3.92
Northeast U.S.	3.78	3.51-4.08
South U.S.	3.49	3.26-3.74
Delaware	3.52	2.82-4.39
Kent County	3.94	2.89-5.35
New Castle County (Excluding Wilmington)	3.49	2.66-4.55
Sussex County	3.26	2.38-4.45
Wilmington	3.55	2.60-4.82

Source: National Survey on Drug Use and Health: Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by State and Sub-state Regions: Percentages, Annual Averages Based on 2008, 2009, and 2010 NSDUHs , Table 26,
<http://www.samhsa.gov/data/NSDUH/substate2k10/ExcelTables/NSDUHsubstateExcelTabsTOC2010.htm>

Statewide and Sub-state Estimates of Smoking, Binge Drinking, and HIV Risk for Delaware Adults from the 2011 Delaware Behavior Risk Factor Surveillance System


Adult Smoking Prevalence					
	Statewide	Wilmington	Suburban NC	Kent	Sussex
Smoke Every Day	16 %	19.4%	15.4%	19.6%	16.3%
Smoke Some Days	5.5%	4.1%	5.9%	5.5%	4.7%
Former Smoker	28.3%	22.1%	26.5%	27.2%	33.9%

Acute or "Binge" Drinking [5+ (males) or 4+ (females) Drinks at One Occasion]				
Statewide	Wilmington	Suburban N.C.	Kent	Sussex
20.3%	23.6%	23.3%	16.2%	17.3%

Respondents < Age 65 Who Have Ever Had an AIDS Test				
Statewide	Wilmington	Suburban N.C.	Kent	Sussex
46.0%	52.0%	42.4%	49.8%	43.1%

Sources: Delaware Health and Social Services, Division of Public Health, Behavioral Risk Factor Surveillance System (BRFSS), 2011. County information on Respondents < Age 65 Who Have Ever Had an AIDS Test, 2006-2007. Wilmington information on all tables, 2006-2007.

Traffic Fatalities for Delaware, 2007-2011




	2007	2008	2009	2010	2011
— Kent County	13.64	17.73	12.49	14.74	10.31
— New Castle County	10.55	9.36	9.5	8.53	7.93
— Sussex County	20.83	22.4	23.11	16.66	19.47


Year

Source: National Highway Traffic Safety Administration, <http://www.nhtsa.gov>


Center for Highway Asset Management Programs (CHAMPS)
Locations of Alcohol-related Motor Vehicle Accidents, 2009



Center for Highway Asset Management Programs (CHAMPS)
Locations of Alcohol-related Motor Vehicle Accidents, 2009, Continued



Delaware Alcohol-Impaired Driving Fatalities by Blood Alcohol Content of Persons Involved, 2007-2011



Year

*Based on the BAC of all involved drivers, motorcycle riders, pedalcyclists, and pedestrians
 **Based on the BAC of all involved drivers and motorcycle riders only

Source: National Highway Traffic Safety Administration, <http://www.nhtsa.gov>

4.
**DEPARTMENT OF
EDUCATION (DOE) AND
DEPARTMENT OF
SERVICES FOR
CHILDREN, YOUTH AND
THEIR FAMILIES (DSCYF)
DATA**

The following section includes School District-specific information from DOE and service delivery information from DSCYF.

2011-2012 Delaware District- and School-Specific Data

District	% Low Income		Grad Rate (ESEA)^a	Grad Rate (NCES)^b
Appoquinimink	App. HS	17.8	89.9	92.8
	Meredith MS	28.8		
	Middletown HS	19.1		
	Redding MS	28.9		
	Waters MS	10.8		
Brandywine	Brandywine HS	43.3	83.7	90.8
	Concord HS	29.0		
	Mt Pleasant HS	42.9		
	P.S. DuPont MS	50.8		
	Springer MS	35.5		
	Talley MS	48.5		
Caesar Rodney	Caesar Rodney HS	40.5	75.4	82.9
	DAFB MS	23.4		
	Fifer MS	49.7		
	Postlethwait MS	42.6		
Cape Henlopen	Beacon MS	43.5	79.1	86.0
	Cape Henlopen HS	42.7		
	Mariner MS	63.7		
Capital	Central MS	51.3	70.2	79.3
	Dover HS	41.5		
	William Henry MS	53.8		
Christina	Bayard MS	89.0	68.0	75.8
	Christiana HS	57.1		
	Gauger-Cobbs MS	58.4		
	Glasgow HS	52.1		
	Kirk MS	59.1		
	Newark HS	43.3		
	Shue-Medill MS	56.3		
Colonial	Bedford MS	42.5	66.5	76.8
	Mccullough MS	58.7		
	William Penn HS	58.5		
	Read MS	71.0		
Indian River	Georgetown MS	72.3	86.2	92.0
	Indian River HS	46.6		
	Millsboro MS	66.9		
	Selbyville MS	56.0		
	S Del Sch Of Arts	26.6		
	Sussex Central HS	66.4		
Lake Forest	Lake Forest HS	53.2	75.0	84.0
	Chipman MS	55.9		
Laurel	Laurel HS	62.8	66.7	73.7

	Laurel MS	64.7		
Milford	Milford HS	49.0	78.2	83.7
	Milford MS	57.6		
New Castle County Vocational-Tech	Delcastle Tech HS	53.4	92.7	96.8
	Hodgson Vo-Tech HS	27.6		
	Howard HS of Tech	69.9		
	St. Georges HS of Tech	25.9		
Polytech	Polytech HS	23.1	92.0	97.1
Red Clay	A I Dupont HS	41.9	81.9	89.8
	A I Dupont MS	84.8		
	Cab Calloway School of the Arts	12.4		
	Conrad Schools Of Science	33.9		
	Dickinson HS	60.7		
	H B Dupont MS	43.5		
	Mckean HS	64.3		
	Skyline MS	39.8		
Seaford	Stanton MS	77.1	69.2	85.1
	Seaford HS	65.9		
Smyrna	Seaford MS	70.0	78.4	89.8
	Smyrna HS	39.2		
Sussex Tech	Smyrna MS	44.8	95.2	96.3
	Sussex Technical	29.9		
Woodbridge	Wheatley MS	62.5	75.6	81.1
	Woodbridge HS	54.7		

- a. ESEA—Four Year Adjusted Graduation Rate; calculated by dividing the number of students who graduate with a regular high school diploma within four years by the number of students who form the adjusted cohort for the graduating class.
- b. NCES—Delaware Graduation Rate; based on students who started 9th grade and graduated 4 years later with a high school diploma. Students who are new to Delaware during the 10th, 11th or 12th grades are not added to the original cohort. This rate takes into account students who drop out during the 4 year period unless the student transfers to an adult education program.

Source: Delaware Department of Education Website <http://profiles.doe.k12.de.us/>

Division of Family Services

Intake and Investigation Statistics (1985-2011)

by State Fiscal Year (July 1 - June 30)

Fiscal Year	# Reports Received	# Reports Investigated	# Reports Substantiated	Abuse (not sexual)	Neglect	Sex Abuse	Dependency
2011	14,010	7,358	1,651	357	926	157	211
2010	11,222	6,533	1,386	302	822	109	153
2009	9,527	5,929	1,429	378	736	140	175
2008	8,512	6,122	1,520	385	754	164	217
2007	7,273	5,566	1,390	359	660	122	249
2006	7,548	5,829	1,319	385	614	137	183
2005	8,035	5,797	1,325	408	588	168	161
2004	7,069	5,236	1,004	314	448	150	92
2003	7,542	5,601	1,013	315	462	119	115
2002	7,606	5,706	1,073	334	494	129	94
2001	8,131	5,953	1,014	350	519	145	105
2000	8,240	5,891	1,263	361	524	157	100
1999	8,926	6,340	1,463	444	592	186	123
1998	8,596	6,384	2,019	734	764	153	135
1997	8,379	6,862	2,031	64	681	152	189
1996	6,573	5,117	1,752	452	624	172	177
1995	**	5,584	1,812	419	615	191	217
1994	**	4,886	1,859	438	598	165	209
1993	**	4,541	1,786	384	522	207	189
1992	**	4,430	2,183	569	872	332	232
1991	**	4,074	1,935	469	845	205	275
1990	**	3,746	1,673	353	***	173	980
1989	**	3,745	1,765	400	***	164	961
*1988	**	4,000	1,800	342	756	162	****540
1987	**	4,097	1,243	228	324	114	508
1986	4,415	3,811	1,978	*197	*365	*172	*170
1985	4,348	**	1,936	535	741	322	284



KEY: * - approximate values ** - not reported *** - Neglect and Dependency totals combined **** - Adolescent and Dependency totals combined

- Numbers are duplicative - a family may have had more than one report that was investigated.
- The Division conducts Civil investigations. The standard of proof is a preponderance of the evidence.

5. WILMINGTON SPECIFIC DATA

The following section includes data from the 2012 Delaware School Survey, which is included in the annual Delaware Kids Count Book.

8th Graders





*Never/Before, but not in past year

**A few times in past year/1-2 times per month

***1-2 times a week/almost every day



Source: 2012 Delaware School Survey, University of Delaware Center for Drug and Alcohol Studies

8th Graders




Source: 2012 Delaware School Survey, University of Delaware Center for Drug and Alcohol Studies

8th Graders





Source: 2012 Delaware School Survey, University of Delaware Center for Drug and Alcohol Studies

8th Graders



Source: 2012 Delaware School Survey, University of Delaware Center for Drug and Alcohol Studies

11th Graders





*Never/Before, but not in past year

**A few times in past year/1-2 times per month

***1-2 times a week/almost every day



Source: 2012 Delaware School Survey, University of Delaware Center for Drug and Alcohol Studies

11th Graders




Source: 2012 Delaware School Survey, University of Delaware Center for Drug and Alcohol Studies

11th Graders



Source: 2012 Delaware School Survey, University of Delaware Center for Drug and Alcohol Studies

11th Graders



Source: 2012 Delaware School Survey, University of Delaware Center for Drug and Alcohol Studies

6. **FULL ONLINE SOURCES FOR DATA IN THIS PROFILE AND ADDITIONAL DATA RESOURCES**

An electronic copy of this Profile Report is available online at the Delaware Data Tracking Alliance (DDATA) website. The address for the 2013 Sub-state Profile Report is www.udel.edu/delawaredata/

The full recent reports on Delaware Data for much of the material in these Profiles as well as many more resources are available online as well, as noted here.

*****SPECIFIC OTHER DATA RESOURCES*****

KIDS COUNT DELAWARE

KIDS COUNT in Delaware is one of fifty-one similar projects throughout the United States funded by The Annie E. Casey Foundation. The Project is located at the University of Delaware in the Center for Community Research and Service. The Group seeks to bring together the best available data to measure the health, economic, educational, and social well-being of children in Delaware. The overall web location for KIDS COUNT DE is <http://www.ccrs.udel.edu/kids-count>

Specific relevant reports are:

- 1.) The 2013 Kids Count/Families Count Fact Book is a comprehensive accounting of risk and protective factors. Some data are broken down by County and the City of Wilmington, but most of the data are statewide reports. <http://www.ccrs.udel.edu/node/430>
- 2.) The 2005 Communities Count in Delaware Fact Book which provides extensive demographic information on Delaware by Census tract. It is largely based on the 2000 U.S. Census. <http://www.ccrs.udel.edu/communities-count-delaware-2005>

DELAWARE SCHOOL SURVEY RESULTS

Much of the data in this Sub-state Profiles Report come from the surveys done in the Delaware schools as part of the ongoing assessment of risk and protective factors for youth. These reports include:

1. The Delaware School Survey (DSS) that has been done in Delaware annually since 1989. Since 1999 the survey has expanded on the sample used in previous years and attempted to interview most 5th, 8th, and 11th graders in the Delaware public schools. The focus of the DSS is substance abuse and delinquency.
2. The Centers for Disease Control and Prevention (CDC) Youth Risk Behavior Survey (YRBS), which is administered in odd years since 1995 to a representative sample of high school students in Delaware. The YRBS focuses on a number of health and behavioral risk factors among youth.
3. The Youth Tobacco Survey (YTS) is also a CDC sponsored assessment focused on tobacco use, attitudes, and policies. It has been administered in even numbered years in Delaware since 2000.

Each of these surveys is conducted as an anonymous classroom administration, using a form that can be completed in no more than one class period. Classroom administrations are conducted by University of Delaware personnel, rather than by teachers, to reduce teacher burden and to help increase students' perceptions that the results were not seen by school personnel.

The full reports for the Delaware School Survey Results through 2012, the Youth Risk Behavior Study Report for Delaware through 2011, and the Delaware Youth Tobacco Survey through 2012 are all available on the Delaware Data Tracking Alliance website www.udel.edu/delawaredata/

DELAWARE ADULT SURVEY RESULTS

There are two more limited sources of current adult survey results broken down by sub-state planning areas for Delaware.

1. **The Sub-State Reports of Substance Use & Serious Psychological Distress** issued by the Office of Allied Studies in the Substance Abuse and Mental Health Services Administration. These reports present estimates of the prevalence of substance use or mental health problems in sub-state areas during 2006-2008 and 2008-2010 based on the National Survey on Drug Use and Health

(NSDUH). NSDUH is an annual survey of the civilian, noninstitutionalized population aged 12 or older. This report presents estimates for 24 measures of substance use or mental health problems. The report can be found at: <http://oas.samhsa.gov/substate2k10/toc.cfm>

2. **The 2012 Behavioral Risk Factor Surveillance System report for selected health indicators in Delaware** is available from the Delaware Division of Public Health. The BRFSS is an annual survey of Delaware's adult population about behaviors which affect risk of disease and disability. The BRFSS is a joint effort of the Delaware Division of Public Health and the U.S. Centers for Disease Control and Prevention (CDC), and is funded by a CDC cooperative agreement. The random-sample telephone survey is conducted for the Division of Public Health by the Center for Applied Demography and Survey Research of the University of Delaware. Data from the survey are used by both public and private health providers to plan health programs and to track progress toward the state's health goals. The selected health indicators available by sub-state planning area can be accessed at: <http://www.dhss.delaware.gov/dph/dpc/brfsurveys.html>

Other additional data for Delaware that are not specific to sub-state planning areas can be found from these two sources and an additional source as well.

- 1.) the National Survey of Drug Use and Health (NSDUH) state estimate data are available at <http://oas.samhsa.gov/states.cfm>
- 2.) The Behavioral Risk Factor Surveillance System (BRFSS) data for Delaware are available for a number of additional variables through the Delaware Division of Public Health. The complete data and can be accessed at: <http://www.dhss.delaware.gov/dhss/dph/dpc/brfsurveys.html>
- 3.) For health related information for Delaware other than substance use, some information reported by state is available from the Centers for Disease Control and Prevention (CDC) at www.cdc.gov

WILMINGTON SPECIFIC INFORMATION

1. The Wilmington KIDS COUNT Fact Book is a snapshot of the well-being of children in Wilmington, Delaware. Each report is designed as a resource for policy makers and citizens to utilize in shaping local action to improve the status of children and families in Wilmington.

The full report for Wilmington for 2011 is available online at <http://www.ccrs.udel.edu/node/310>

OTHER LINKS TO STATE AND COUNTY LEVEL DATA

Other sources of state data are the websites of relevant State Departments and Divisions including the Delaware Department of Education, Department of Public Safety, Department of Services for Children Youth and Their Families, and the Department of Health and Social Services. All of these websites can be accessed through www.delaware.gov. The following links provide access to additional state and county-level data which can be used to help describe demographic variation in risk factors.

For Delaware Vital Statistics and other health-related information:

<http://www.dhss.delaware.gov/dhss/main/health.htm>

For Delaware school and district-related information:

www.doe.k12.de.us/ and particularly School Profile Reports at <http://profiles.doe.k12.de.us/SchoolProfiles/State/Default.aspx>

For information relating to the Delaware Courts System, particularly Drug Court statistics and information on the Treatment Access Center and Delaware treatment providers:

<http://courts.delaware.gov/Superior/drug.stm>

For information on Delaware youth in treatment in the Department of Services for Children, Youth and Their Families:

<http://kids.delaware.gov/yrs/yrs.shtml>

Current and future population projections for Delaware by region, age, gender and ethnicity are available from the Delaware Population Consortium:

<http://stateplanning.delaware.gov/information/dpc.shtml>